

# Engineered for your Honda

Genuine Oils  
Chemicals  
Cleaners  
Polishers

**HONDA**  
The Power of Dreams



**Honda**  
Genuine Oils



# Don't risk your Honda

**Only one brand of oils and chemicals guarantees performance in Honda engines. Honda.**

Starting with development in Honda R&D Japan, our oils and chemicals are crafted to the most demanding standard...Honda Standard!

Honda Oils and Chemicals are developed through the most severe tests of performance and durability; from professional racing to arduous hours on farms.

Unlike some oils and chemicals that are based on automotive products, Honda Oils and Chemicals are motorcycle-specific products designed to meet the unique demands of motorcycle and ATV riders and racers.

Take for example, Honda's latest JASO approved four stroke engine oil. JASO stands for the Japanese Automobile Standards Organisation.

With strong input from Honda R&D, JASO established standards classifying the specific performance for motorcycle engine oils.

These standards were established to meet the higher demands of motorcycle engines. Compared to cars, motorcycle engines produce more power per displacement, run at higher RPM, and have both smaller capacity oil volumes and cooling systems.

Plus...Motorcycles use their oil to lubricate their transmissions and clutches. Auto oils lack the ability to withstand the shear forces created by the transmission's gear teeth, which quite literally tear the oil molecules apart. Also...their anti-friction additives can cause a motorcycle's clutch to slip. Honda's latest HP4 though, is formulated especially for use in motorcycles and ATVs to offer the ultimate in performance on or off the track.

Honda Genuine Oil 10w30 GN4 and HP4 utilise an additives package that significantly reduces engine wear through reduction in the breakdown of the oil at sustained high temperatures. 10w30 is the recommended oil viscosity for Honda engines. What are the advantages? Increased horsepower, less engine wear – ultimately extending engine life, reduced internal engine drag, excellent cleaning properties ensuring oil continues to flow to the engine, increased fuel efficiency


and reduced emissions. Low viscosity provides better engine responsiveness and better engine performance.

Everything Honda offers...from 2-stroke oil, suspension fluids, coolant, brake fluid, air filter oils, chain lubes, cleaners, and other vital fluids is formulated to be the very best.

They're what Honda race teams depend on to win and what farmers depend on to keep their ATV's in working order! Honda builds its power sports products to the toughest engineering standards in the world. Honda formulates its oils and chemicals to those same demanding standards, to keep your Honda running at its maximum performance.

Why? Because the hands that built your Honda designed these oils. They're the very best motorcycle - specific products you can buy. Available exclusively at your Honda Dealer.

**A perfect blend of mineral and synthetic agents chemically engineered to maintain your Honda engine at peak performance**





Genuine Honda Protection



# Honda Motorcycles



## Honda HP4 10w-30

**Part No: 1 Litre: L1002HP41312**

**4 Litre: L1002HP41304**

**20 Litre: L1002HP41320**

A semi synthetic based oil, HP4's extraordinary additive package offers increased anti-foaming qualities, higher viscosity index for stability over a broader range of temperatures, and even greater shear stability than most other oils | HP4 blends the heat stability and shear resistance of synthetic oil with mineral oil's natural lubricity yielding premium quality four-stroke engine oil | HP4 is approved for use in all Honda Power sports products | The Honda oil good enough to win a multitude of Australian National road racing championships as well as the gruelling Australian Safari.



## Honda GN4 10w-30

**Part No: 1 Litre: L1002GN41312**

**4 Litre: L1002GN41304**

**20 Litre: L1002GN41320**

A mineral based oil, GN4 consists of quality base stocks, and an additive package specifically designed for the unique requirements of motorcycle and ATV engines | Constant testing and development have evolved to give today's GN4 even better shear resistance, viscosity stability and cleanliness to meet the requirements and stresses of a new era of engine technology | The only oil Honda R&D recommended for our complete TRX range especially the "FA" series.



## Honda HP4M MB

**Part No: 08232M99K0BA1**

Mineral based, low friction Motorcycle oil specially formulated with highly refined paraffinic base stock for use in all Honda AT Motorcycles and Scooters | Exceeds the most stringent requirements set by Honda R&D and provides better fuel economy than other grading oils.



## Honda HP4M 10w-40

**Part No: 08C35A141M02**

A synthetic/mineral oil blend that combines the very best qualities of both types | HP4M also features a comprehensive additive package and friction-reducing molybdenum compound for smoother shifting, maximum fuel economy and peak horsepower.



## Honda HP2

**Part No: 08C35AH21S01**

Honda HP2 is one of the finest 2-stroke oils money can buy | Premium synthetic base stocks with high film strength gives maximum wear-protection, while allowing a crisp 32:1 mixture ratio | The extremely clean-burning formula minimises carbon deposits, extends spark plug life and reduces maintenance on Honda Power Port and ATAC systems | Special additives minimize friction for cooler running, maximum horsepower and quicker throttle response.



## Honda GN2

**Part No: 08C35AG21M01**

Approved by Honda R&D for use in all older liquid cooled and air cooled two-stroke Honda Motorcycles, ATV's and Scooters | Its unique clean-burning formula reduces exhaust smoke, carbon buildup, varnish deposits and helps prevent spark plug fouling, ring sticking and exhaust plugging.





## Road Model Oil Change Kit (GN4)

**Part No: 06211MFJGN4**

Oil filter element, Drain plug washer & 4 Litres of GN4 10w-30 engine oil.

Model Application; CB600, CB750, CB900, CB1000, CB1000R, CB1100, CB1300, CBF1000, GL1500, GL1800, NT650V, NT700V, ST1100, ST1300, VF750, VFR800, VT600, VT750, VT1100, VT1300, VTX1300, VTX1800, XL600V, XL700V, XL1000, VFR1200F/FD.



## Road Model Oil Change Kit (HP4)

**Part No: 06211MFJHP4**

Oil filter element, Drain plug washer & 4 Litres of HP4 10w-30 engine oil.

Model Application; CBR600F, CBR600RR, CBR900/929/954/RR, CBR1000F, CBR1000RR, CBR1100XX.



## CBR250R Oil Change Kit

**Part No: 06211KYJK01**

Oil filter element, Oil filter gasket, Drain washer & 1 Litre of GN4 10W-30 engine oil



## CRF Oil Change Kit

**Part No: 06211CRFK01**

Oil filter element, Oil filter o-ring, Drain plug washers, 1 Litre of HP4 10w-30 engine oil & 1 Litre of manual transmission fluid.

Model Application: CRF150R, CRF250R, CRF250X, CRF450R, CRF450X.



## ATV Oil Change Kit (5 Kits)

Oil filter element, Drain plug washer & GN4 10w-30 engine oil\*

ATV Kit 1 - **06211ATVK01**

Model Application: TRX400FA, TRX650FA, TRX680FA

ATV Kit 2 - **06211ATVK02**

Model Application: TRX500FA

ATV Kit 3 - **06211ATVK03**

Model Application: TRX420FA, TRX420FPA

ATV Kit 4 - **06211ATVK04**

Model Application: TRX300, TRX300FW, TRX350FE, TRX350FM, TRX350TE, TRX350TM, TRX400EX, TRX400FW, TRX400X, TRX420FM, TRX420TE, TRX420TM, TRX450ES, TRX450FE, TRX450FM, TRX450S, TRX500FE, TRX500FM, TRX500FPE, TRX500FPM, TRX500TM.

ATV Kit 5 - **06211ATVK05**

Model Application: TRX420FPM

\*Oil literage varies between 3 to 5 litres depending on model.



## Honda HP Trans Oil

**Part No: 08C35A851M01**

Cutting edge high-performance racing transmission oil specifically formulated for all Honda CR® and CRF models with separate transmissions. Transmission gears can whip conventional oil into a froth and intense pressure at their teeth can lead to metal to metal contact. HP Trans Oil offers ultra-high film strength and shear stability to minimise transmission wear, while its high thermal stability prevents foaming and premature oil breakdown. Special anti-friction additives allow smoother shifting, while minimising drag and power loss. Anti-shear additives increase clutch life, reducing clutch slippage.



## Chain Cleaner

**Part No: 08732CHC00**

Prepares chain for re-oiling | Emulsifies and removes dirt, grime & built up grease | Spray on - rinse off | Safe on all types of drive chains.



## Chain Lube with White Graphite

**Part No: 08732CLG00**

Advanced technology for the ultimate in lubrication and protection | Contains White Graphite for superior lubrication | Resists wear and weather for long-lasting lubrication | Compatible with both O-ring and non O-ring chains | Works at both high and low temperature extremes | No-filing formulation.



## Chain Lube with Moly

**Part No: 08732CLM00**

Contains Moly and PTFE for superior lubrication | Resists wear and weather for long-lasting lubrication | Compatible with both O-ring and non O-ring chains | Works at both high and low temperature extremes | Contains no chlorinated solvents or CFC's | No-filing formula.



## White Lithium Grease

**Part No: 08732WLG00**

Heavy duty general purpose lubricant | Penetrates between parts to provide deep long lasting lubrication | Displaces moisture and protects against rust and corrosion | Works at both high and low temperature extremes | White colour shows coverage to help insure complete application | Low VOC formula meets current CARB and OTC standards | Contains no chlorinated solvents or CFCs.



## Silicone Spray

**Part No: 08732SS000**

Lubricates plastics, rubber and vinyl | Eliminates sticking and squeaking | Safe for painted surfaces | Colourless formula will not stain surfaces | Provides lubrication from -62° C to 315° C.



## Hondalube / Rust Penetrant Contact / Brake Cleaner (Low VOC, Non-Chlorinated)

**Part No: 08732RP000**

Displaces moisture and protects against rust and corrosion | Frees rusted parts | Lubricates all metal surfaces | Low VOC formula meets current CARB and OTC standards | Contains no chlorinated solvents or CFCs.



**Part No: 08732CBL49**

Removes grease and oil quickly | Cleans brake drums, liners, cylinders, and springs | Safe for most plastics | Dries fast with no residue | Low VOC formula | Contains no chlorinated solvents or CFCs.



## Carburetor Cleaner (Non-Chlorinated)

**Part No: 08732CC000**

Cleans throttle and choke linkages  
| Decarbonises intake and  
emission system components |  
Computer oxygen sensor safe |  
Ultra-Low VOC non-chlorinated  
formula.



## Anti Seize

**Part No: 08732AS000**

Protects against rust and  
corrosion caused by chemicals  
| Provides excellent protection  
over an extended period for  
threaded fittings | Waterproof |  
Prevents metal parts from galling  
and seizing | Protects against  
temperatures up to 1427° C.



## Moly 60 Paste

**Part No: 087340001**

60-percent Moly grease formula  
| Contents are solid and will not  
separate at room temperature |  
Recommended for gears, bearings  
and other high-pressure, high  
temperature applications | Use on  
Pro-Link linkages where Moly 45  
is recommended.



## Hondalock I

**Part No: 087130001**

Low-strength blue coloured  
threadlock for frequently removed  
and/or low-torque fasteners |  
Protects against corrosion and  
wear | Resists vibration, moisture  
and most chemicals.



## Hondalock 2

**Part No: 087130002**

Medium strength orange coloured  
threadlock for medium-torque  
fasteners.



## Hondalock 2HT

**Part No: 087130004**

High-temperature red coloured  
threadlock for medium-torque  
fasteners in high temperature  
applications such as cylinder  
head exhaust studs.



## Hondalock 3

**Part No: 087130003**

High-strength green coloured  
threadlock for semi-permanent  
and/or high-torque fasteners |  
Helps retain gears, bearings and  
pulleys to their shafts.



## Hondabond HT

**Part No: 087180004**

High-temperature silicone liquid |  
Unique formula is non-acidic and  
won't corrode aluminium like other  
silicon gasket products will | For  
use in applications not requiring  
solid gaskets.



## Hondabond 4

**Part No: 087171194**

Semi-drying liquid gasket | Seals  
irregular surfaces with a tough,  
elastic film | Solvent-based  
for easy removal; also resists  
gasoline.





## Handgrip Cement

**Part No: 087120001**

Required when installing PVC-type handgrips | Ideal for use on rubber handgrips, footpeg covers, plus kickstart and shift pedal rubbers | Recommended for installing Honda genuine heated grips.



## Dielectric Grease

**Part No: 087980001**

Non-conductive waterproofing compound | Insulates electrical connections and adheres to most surfaces, sealing out moisture, dirt, and corrosion.



## ATV Flat Proof

**Part No: 0871800AMM**

Easy cleaning, water-soluble formula | Contains a rust inhibitor that prevents corrosion | Easy installation requires no tyre removal | Seals punctures up to 4mm in diameter.



## Honda Metal Polish

**Part No: 08C20A021S**

Restores original lustre to aluminium, chrome, and stainless steel surfaces | Restores original colour and shine to most painted surfaces | Restores clarity to lightly scratched windscreens and visors | Also restores shine to lightly scuffed or discoloured plastic lenses and bodywork | Lowest abrasion levels of popular brands | Recommended for the Gold Wing® and other fine motorcycles | Use on non-textured surfaces only | For best results, test first on an inconspicuous area | See application instructions on back label.



## Spray Cleaner and Polish

**Part No: 08732SCP00**

Exclusive Honda formula-superior performance at an economical price | Complete detailer in a can | Cleans road grime, grease, and bugs without water | Polishes paint, chrome, glass, and clear plastic | Protects vinyl, plastic, and rubber | Blocks UV rays to reduce fading and cracking | Repels water and makes it bead up like on a wax finish | Anti-static properties reduce dust build up.



## Honda Glare Ultra Wash

**Part No: 08732GLR002**

Advanced vehicle wash | New technology with "Glassplexin" leaves your vehicle clean and glossy | Safe for all paints, including new clear coated paints | PH-balanced | Best when used in conjunction with Honda Glare Professional Polish.



## Hondabrite™

**Part No: 591ml: 087320020B**  
**Spray bottle (with trigger)**  
**946ml: 087320032 Refill (no trigger)**

Cleans an entire motorcycle or ATV in just minutes | Removes dirt, oil, road grime, and insects | Cleans paint, chrome, alloy, and rubber | Contains powerful corrosion-inhibitors | Easy to spray on and hose off | Surface safe when used as directed.



## HP Coolant – Green

**Part No: 08C50C321S01**

Exclusive formula developed by Honda R&D | Specifically designed for use in aluminium engines. | Uses high-tech organic corrosion inhibitors instead of more commonly used silicate corrosion inhibitors. | Organic corrosion inhibitors won't gel and cause radiator plugging | More stable for a longer shelf life and doesn't act as an abrasive to mechanical water pump seals which may cause leaky seals.



## Air Filter Oil Kit

### Part No: 08207NTL006

Eliminates the need for toxic chemicals when servicing air filters.

Pro Honda biodegradable filter oil is super tacky, trapping more dirt yet flowing more air than conventional air-filter oils, resulting in superior performance.

Pro Honda air-filter cleaning system is available as a three-piece kit containing filter oil, filter cleaner and filter rim grease.

Caution: Cannot be used to clean filters already treated with conventional petroleum products.

### 08207NTL007 Air Filter Oil(FOAM)

### 08207NTL003 Air Filter Cleaner

### 08207NTL004 Air Filter Sealer

Honda foam air filter oil 16oz

Honda foam air filter cleaner 16oz

Honda Foam Air Filter Sealer 4oz



## Mini Spray Cleaner & Polish Hondagloss Polish

### Part No: 08732SCPSM

When using Honda Pro Spray Cleaner and Polish the result is a showroom shine that can be the ultimate detailer in a can for motorcycles, ATVs, scooters, automobiles, marine and power equipment | This new 4 ounce smaller container is more portable and does not require water to produce excellent results and help protect against ozone and dirt accumulation | Spray 6 to 8 inches from surface to be cleaned and shined | Polish with clean dry non abrasive cloth or towel | For best results apply to cool surface | This is the smaller 4oz spray can.



### Part No: 08C25A081S

HondaGloss 8oz Liquid Polish, Cleans, Polishes, Seals and protects in one easy application | Can be applied in any weather including direct sunlight & rain | Safe for all painted surfaces including clear coats and decals | Excellent for windscreens, face shields, shiny plastic, chrome, aluminum, and other non-Porous surfaces | Forms a protective shield against UV rays, acid rain, and Pollutants | Unique formula contains no yellowing Carnauba | Long lasting shine protects for several months | Not Recommended for Matte Finishes.



## Honda Glare Polish

### Part No: 08731GLR001

12 Ounce Pro Honda Glare Ultra Polish is made by Glare and is A non-stick high-gloss all-weather sealant | Glare Polish is the number 1 polish for your Car, Airplane, Boat, PWC, ATV, UTV, Motorcycle, Glass, Stainless steel, Fiberglass, Chrome, Filters out UV Rays, turns to glass on and within your paint | Contains Glassplexin® | Bonds molecularly to your finish | The most revolutionary polish ever developed | Beyond 22nd century technology | This is some awesome polish! It is highly recommended to use the Glare Wash with this product for the best results.



## Shock Oil SS-25 (SHOWA)

### Part No: 08CUSM99482A1

Increased service life of suspension components also offers consistent damping performance by reducing internal heat and friction.

Maximum protection of seals and bushings against deterioration and excessive wear.

Specifically designed for the CRF250R equipped with Showa suspension.

All-new formula engineered for the next generation of performance motorcycles.



## Honda Glare Combo Pack

### Part No: 08732GLR003

Combo pack including Honda Glare Wash and Honda Glare Professional Polish.





## Honda Genuine Coolant – Blue

**Part No: 1 Litre: B1800**

**5 Litre: B1801**

**20 Litre: B1802**

Uniquely blue in colour | Specifically designed and approved for use in all Honda motor vehicle cooling systems | Made to meet Honda R&D specifications through the use of high purity Ethylene Glycol, highly durable additives and an accurate pre-mix of 50% demineralised water and 50% anti-freeze.



## Fork Oil 5W

**Part No: 1 Litre: 0829099961**

**5 Litre: 0829099964**

Friction-modified formula specifically engineered for the latest in suspension technology from Showa and KYB | Minimises stiction and cavitation, providing optimum performance for all Honda inverted-fork suspension systems.



## 10W Suspension Fluid

**Part No: 1 Litre: 0820899922**

**4 Litre: 0820899923**

Maintains peak performance on most severe operating conditions | Dyno proven to reduce internal friction | Superior anti-foam, anti-fade, and anti-wear characteristics | Original equipment on several 2003 and later motorcycle models.



## Fuel Stabilizer by Sta-Bil®

**Part No: 087320800**

Genuine Sta-Bil formula eliminates the need to drain fuel for engines stored longer than 60 days | Prevents rust, corrosion, and fuel deposits | Available in convenient 227mls.



## Shaft Drive Oil

**Part No: 082080080**

Single-application hypoid gear oil SAE 80W90 | Approved for use in Honda Gold Wings and other shaft-drive motorcycles and ATVs | Exceeds API service classifications GL-4 and GL-5.



## DOT 4 Brake Fluid

**Part No: 082030004**

High-temperature formula for heavy-duty or racing applications | Designed for use in all hydraulic brake and clutch systems requiring | DOT 3 or DOT 4.



## Manual Transmission Fluid MTF 06

**Part No: 08261MTFL00**

SAE 75W-80 API GL4 | Specially formulated by Honda to provide advanced protection and smooth operation in all Honda vehicles with separate manual transmissions (incl. CRF250/450X and CRF150/250/450R) | Designed to precisely meet Honda's strict specifications for; protection from wear, deposits, corrosion, and scoring, shift ease and feel, quiet operation, fuel efficiency, load handling, stability (thermal, oxidation, shear, foam), seal and gasket compatibility, cold shift performance, performance under extreme conditions (driving style and temperature), low oxidation rate for longer life.





# Honda Power Equipment





## Honda Power Equipment Oil 10w30

**Part No: 1 Litre: L1002P08001**

**5 Litre: L1002P08002**

**20 Litre: L1002P08003**

Recommended for use in all Honda Power Equipment products.



## Oil Change Kits

**Part No: 06211GXEK01** - Suits

GX160UT1 / GX200UT models

06211HRUK01 - Suits HRU196, HRU196D, HRU216, HRU216D & HUT216 models

06211HRUK02 - Suits HRU19D1, HRU19R, HRU19R1, HRU197, HRU197D & HRU217D models.

06211ZM3K01 - Suits UMK422/ UMT431 models

06211Z0HK01 - Suits UMK425/ UMS425/ULT425 models

06211Z0ZK01 - Suits UMK435 models

Low-strength blue coloured Each kit includes: Air filter element, spark plug, fuel stabilizer & 1 litre of Honda Power Equipment engine oil.



## Chain & Bar Oil

**Part No: L1002CHB001**

Versatool Pruner blade and chain lubrication | Chain and Bar Oil is a tough, tacky lubricant designed for lubrication of the chain, bar and sprocket on all types of chainsaws and chain driven machinery | It is made from highly refined high viscosity index base oils along with a highly effective tackiness agent to resist throw-off.



## Hondalock 1

**Part No: 087130001**

Low-strength blue coloured threadlock for frequently removed and/or low-torque fasteners | Protects against corrosion and wear | Resists vibration, moisture and most chemicals.



## Hondalock 2

**Part No: 087130002**

Medium strength orange coloured threadlock for medium-torque fasteners.



## Hondalock 2HT

**Part No: 087130004**

High-temperature red coloured threadlock for medium-torque fasteners in high temperature applications such as cylinder head exhaust studs.



## Hondalock 3

**Part No: 087130003**

High-strength green coloured threadlock for semi-permanent and/or high-torque fasteners | Helps retain gears, bearings and pulleys to their shafts.



## Hondabond HT

**Part No: 087180004**

High-temperature silicone liquid | Unique formula is non-acidic and won't corrode aluminium like other silicon gasket products will | For use in applications not requiring solid gaskets.



## Hondabond 4

**Part No: 087171194**

Semi-drying liquid gasket | Seals irregular surfaces with a tough, elastic film | Solvent-based for easy removal; also resists gasoline.



## Dielectric Grease

**Part No: 087980001**

Non-conductive waterproofing compound | Insulates electrical connections and adheres to most surfaces, sealing out moisture, dirt, and corrosion.



## Carburetor Cleaner (Non-Chlorinated)

**Part No: 08732CC000**

Cleans throttle and choke linkages | Decarbonises intake and emission system components | Computer oxygen sensor safe | Ultra-Low VOC non-chlorinated formula.



## Moly 60 Paste

**Part No: 087340001**

60-percent Moly grease formula | Contents are solid and will not separate at room temperature | Recommended for gears, bearings and other high-pressure, high temperature applications | Use on Pro-Link linkages where Moly 45 is recommended.



## EP Grease C2

**Part No: L1002EPC2450G**

Versatool Hedgetrimmer gear case lubrication (short & long) | Versatool Pruner transmission case lubrication | Versatool Blower gear case lubrication | EPC Greases are multipurpose, extreme pressure, industrial and automotive greases made from lithium soap, sulphur-phosphorus extreme pressure additives, a high quality base oil and rust and oxidation inhibitors | EPC Greases have excellent load carrying capacity and good resistance to water washing | They are stable in storage and do not soften excessively under severe working, or harden in high temperature service.



## Molygrease EP2

**Part No: L1002EPM2450G**

Versatool Brushcutter gear case lubrication | Versatool Edger gear case lubrication | Molygrease EP2 is a multipurpose, extreme pressure, lithium soap based grease containing molybdenum disulphide | It contains rust and oxidation inhibitors, and sulfur phosphorus EP additives | It possesses good mechanical stability, water resistance and low temperature properties.





## Honda Metal Polish

### Part No: 08C20A021S

Restores original lustre to aluminium, chrome, and stainless steel surfaces | Restores original colour and shine to most painted surfaces | Restores clarity to lightly scratched windscreens and visors | Also restores shine to lightly scuffed or discoloured plastic lenses and bodywork | Lowest abrasion levels of popular brands | Recommended for the Gold Wing® and other fine motorcycles | Use on non-textured surfaces only | For best results, test first on an inconspicuous area | See application instructions on back label.



## Spray Cleaner and Polish

### Part No: 08732SCP00

Exclusive Honda formula-superior performance at an economical price | Complete detailer in a can | Cleans road grime, grease, and bugs without water | Polishes paint, chrome, glass, and clear plastic | Protects vinyl, plastic, and rubber | Blocks UV rays to reduce fading and cracking | Repels water and makes it bead up like on a wax finish | Anti-static properties reduce dust build up.



## Hondabrite™

### Part No: 591ml: 087320020B

#### Spray bottle (with trigger)

#### 946ml: 087320032 Refill

#### (no trigger)

Cleans an entire motorcycle or ATV in just minutes | Removes dirt, oil, road grime, and insects | Cleans paint, chrome, alloy, and rubber | Contains powerful corrosion-inhibitors | Easy to spray on and hose off | Surface safe when used as directed.



## White Lithium Grease

### Part No: 08732WL600

Heavy duty general purpose lubricant | Penetrates between parts to provide deep long lasting lubrication | Displaces moisture and protects against rust and corrosion | Works at both high and low temperature extremes | White colour shows coverage to help insure complete application | Low VOC formula meets current CARB and OTC standards | Contains no chlorinated solvents or CFCs.



## Anti Seize

### Part No: 08732AS000

Protects against rust and corrosion caused by chemicals | Provides excellent protection over an extended period for threaded fittings | Waterproof | Prevents metal parts from galling and seizing | Protects against temperatures up to 1427° C.



## Lanolin Spray

### Part No: L1552010

Penetrates and lubricates | Corrosion protection-remains pro-active | Non toxic | Resistant to moisture, salt, mineral acids and sulphur compounds | Size 400ml.



## Fuel Stabilizer by Sta-Bil®

### Part No: 087320800

Genuine Sta-Bil formula eliminates the need to drain fuel for engines stored longer than 60 days | Prevents rust, corrosion, and fuel deposits | Available in convenient 227mls.



# Honda Marine





## FC-W Engine Oil

**Part No: 946ml: 0820710W30MFC**

**4 Litre: L1002FCW1304**

**20 Litre: L1002FCW1320**

Increased rust and oxidation inhibitors to fight corrosion in the Marine environment | Shear stable polymers to resist viscosity breakdown under high RPM and high load conditions | Improved anti-foaming characteristics to better protect the engine at high RPM.



## Marine Care Kit

**Part No: 06211MARK01**

Each kit includes: Spray cleaner and polish, lanolin spray, marine grease, fuel stabilizer.



## Gear Case Oil

**Part No: 946ml: 0873990W**

**5 Gallon: 08739M0500**

**Gear Oil Pump: 082009011**

Semi synthetic formulation adheres to gear and bearing surfaces and maintains protective qualities throughout the widest range of operating temperatures and loads | Improves the life expectancy of gear cases.



## Hondalock 1

**Part No: 087130001**

Low-strength blue coloured threadlock for frequently removed and/or low-torque fasteners | Protects against corrosion and wear | Resists vibration, moisture and most chemicals.



## Hondalock 2

**Part No: 087130002**

Medium strength orange coloured threadlock for medium-torque fasteners.



## Hondalock 2HT

**Part No: 087130004**

High-temperature red coloured threadlock for medium-torque fasteners in high temperature applications such as cylinder head exhaust studs.



## Hondalock 3

**Part No: 087130003**

High-strength green coloured threadlock for semi-permanent and/or high-torque fasteners | Helps retain gears, bearings and pulleys to their shafts.



## Carburetor Cleaner (Non-Chlorinated)

**Part No: 08732CC000**

Cleans throttle and choke linkages  
| Decarbonises intake and  
emission system components |  
Computer oxygen sensor safe  
| Ultra-Low VOC non-chlorinated  
formula.



## Marine Wash

**Part No: L1002MARWSH**

Non streaking | Free rinsing |  
Concentrated | Biodegradable  
| 1 Litre



## Marine Grease

**Part No: 087340003**

Excellent resistance to water  
washout, rust and corrosion  
under severe duty conditions |  
Maintains superb consistency and  
adhesion under wide temperature  
ranges and extreme salt water  
exposure | The outstanding  
mechanical stability of Honda  
Marine grease provides maximum  
protection for demanding marine  
environments.



## Moly 60 Paste

**Part No: 087340001**

60-percent Moly grease formula  
| Contents are solid and will not  
separate at room temperature |  
Recommended for gears, bearings  
and other high-pressure, high  
temperature applications | Use on  
Pro-Link linkages where Moly 45  
is recommended.



## White Lithium Grease

**Part No: 08732WLG00**

Heavy duty general purpose  
lubricant | Penetrates between  
parts to provide deep long lasting  
lubrication | Displaces moisture  
and protects against rust and  
corrosion | Works at both high  
and low temperature extremes |  
White colour shows coverage to  
help insure complete application  
| Low VOC formula meets current  
CARB and OTC standards |  
Contains no chlorinated solvents  
or CFCs.



## Marine Stain Remover

**Part No: L1002MARSTR**

Removes rust stains | Removes  
waterline & hull stains |  
Concentrated | Biodegradable |  
1 Litre



## Anti Seize

**Part No: 08732AS000**

Protects against rust and  
corrosion caused by chemicals  
| Provides excellent protection  
over an extended period for  
threaded fittings | Waterproof |  
Prevents metal parts from galling  
and seizing | Protects against  
temperatures up to 1427° C.



## Marine Spray Paint

**Part No: L1752PNT00001**

Oyster Silver Metallic Marine Spray Paint

**Part No: L1752PNT00004**

Aqua Marine Silver Marine Spray Paint

**Part No: L1752PNT00010**

Marine Gloss Clear



## Spray Cleaner and Polish

**Part No: 08732SCP00**

Exclusive Honda formula-superior performance at an economical price | Complete detailer in a can | Cleans road grime, grease, and bugs without water | Polishes paint, chrome, glass, and clear plastic | Protects vinyl, plastic, and rubber | Blocks UV rays to reduce fading and cracking | Repels water and makes it bead up like on a wax finish | Anti-static properties reduce dust build up.



## Hondabrite™

**Part No: 591ml: 087320020B**

**Spray bottle (with trigger)**

**946ml: 087320032 Refill (no trigger)**

Cleans an entire motorcycle or ATV in just minutes | Removes dirt, oil, road grime, and insects | Cleans paint, chrome, alloy, and rubber | Contains powerful corrosion-inhibitors | Easy to spray on and hose off | Surface safe when used as directed.



## Lanolin Spray

**Part No: L1552010**

Penetrates and lubricates | Corrosion protection-remains pro-active | Non toxic | Resistant to moisture, salt, mineral acids and sulphur compounds | Size 400ml.



## Honda Metal Polish

**Part No: 08C20A021S**

Restores original lustre to aluminium, chrome, and stainless steel surfaces | Restores original colour and shine to most painted surfaces | Restores clarity to lightly scratched windscreens and visors | Also restores shine to lightly scuffed or discoloured plastic lenses and bodywork | Lowest abrasion levels of popular brands | Recommended for the Gold Wing® and other fine motorcycles | Use on non-textured surfaces only. | For best results, test first on an inconspicuous area | See application instructions on back label.



## Trim & Tilt Fluid

**Part No: 08207TNT32**

Specially formulated and premium blended for Honda Marine outboard Power Trim & Tilt Systems | High shear stability resists viscosity breakdown | Special additives protect against, scuffing and corrosion.



## Fuel Stabilizer by Sta-Bil®

**Part No: 087320800**

Genuine Sta-Bil formula eliminates the need to drain fuel for engines stored longer than 60 days | Prevents rust, corrosion, and fuel deposits | Available in convenient 227mls.



# Proven under extreme conditions. The leading players on the off-road circuits make HGO their choice.

Honda Genuine Oils are engineered to provide the highest level of performance and protection for your engine. And this is proven time and time again under some of the most extreme conditions on the planet. Whether it's the brutal, unforgiving conditions of the famous Dakar rally or high speed, high temperature punishment of the Australasian Safari and Finke Desert Races, only HGO delivers the superior performance required by engines under stress.

That's why Honda racing professionals all around the world trust and choose HGO to get them over the line – every time. Nothing else even comes close.

The proof of HGO is in the competition results, with GHR Honda competing in the Dakar Rally in some of the harshest conditions on the planet. A race where everything has to be spot on right down to the oil you run just to finish the race. GHR choose Honda Oils and Chemicals because they understand only the best will do. Success has followed GHR.

In the nineteen 1st outright wins and 35 podiums in 25 national and international rally events that GHR Honda have completed using Honda Genuine Oil, over 280,000 combined competitive kilometres have been covered without any mechanical DNF's. GHR Honda have also raced in the tough conditions of the Australasian Safari with five 1st outright wins and also ten 1st outright wins at the Condo 750 Cross Country Rally with the most recent 2014 win in 1st and 2nd place.

Honda has also taken out top honours across the board in other big Australian race events. In the Australian Safari, often referred to as the 'Dakar' of the southern hemisphere, the brutal Western Australian desert conditions quickly sort out the 'also-rans'. It took HGO to get them up, with Honda in first outright position and taking three of the top five placings in 2009 and winning outright again in 2011 and 2012.

The Finke Desert Race is the nation's toughest off-road race. More than 500 competitors battle it out over 460kms of

central Australia's arid and inhospitable desert landscape. Honda took top honours in the 2006, 2007, 2008, 2009 and 2013 results, outperforming every other manufacturer.

Both GHR Honda and DERT Race Team compete on Honda's in this gruelling race event.

Former competitor and race winner in 2001 and now team manager of DERT Honda Racing and Dealer Principal of Desert Edge Motorcycles, Michael Vroom demands nothing less than HGO in his Honda's for the Finke Desert Race:

*"In 2014 Finke all four of our riders finished in the top 10 and we certainly rely on the Honda oils to ensure our bikes are reliable.*

*We take Honda's CRF450R and we convert that into a full-on desert race bike to withstand the extreme demands of two hours plus of continuous flat out racing throughout the desert. For our type of racing we need the bikes to be fast and reliable. The bike is pushed to its absolute limits and the quality of the Honda Oils gives us an assurance that*

*the bikes will be reliable in these extreme conditions."* ~ Michael Vroom Dealer Principal Desert Edge Motorcycles – Team Manager DERT Honda Race Team.

The leading players on the off-road circuits make HGO their choice. If you are serious about maximum performance and protection for your machine, you should make it yours too.



Genuine Honda Protection



**Honda**  
Genuine Oils

# Recommended Oils

CATEGORY	MODEL	ENGINE OIL	ENGINE OIL CAPACITY	TRANSMISSION OIL	TRANSMISSION OIL CAPACITY
TOURER	GL1800 (Goldwing)*	HP4	3.7 litres		
	GL1800B (F6B)*	HP4	3.7 litres		
	CTX1300A	GN4	3.9 litres		
	CB1100*	GN4	3.9 litres		
	CB1300*	GN4	3.9 litres		
	CTX700A	GN4	3.4 litres		
	ST1300*	GN4	3.6 litres		
	CTX700D(DCT)	GN4	3.4 litres		
SPORTS	CBR1000RR*	HP4	3.0 litres		
	CB1000R	HP4	3.0 litres		
	CBR600RR*	HP4	2.8 litres		
	CBR650FA	HP4	2.9 litres		
	CBR500R	GN4	3.2 litres		
	CBR500RA	GN4	3.2 litres		
SPORTS TOURING	VFR1200F*	HP4	4.0 litres		
	VFR800F	HP4	3.1 litres		
	CB650FA	HP4	2.9 litres		
STANDARD	CB500FA	GN4	3.2 litres		
	CB400	HP4	3.2 litres		
	NC700SA	GN4	3.2 litres		
	NC750SA	GN4	3.2 litres		
CRUISER	GL1800C Valkyrie *	HP4	3.9 litres		
	VT750C (Shadow)	GN4	2.5 litres		
	VT750S	GN4	2.3 litres		
	CTX700NA	GN4	3.4 litres		
	VT1300CR,CS,CX*	GN4	3.7 litres		
	VT400	GN4	2.6 litres		
ENTRY	CBR300R*	GN4	1.5 litres		
	CBR250R*	GN4	1.5 litres		
	CBR125R	GN4	1.0 litres		
	VTR250	GN4	2.1 litres		
	CT110	GN4	900 cc		
	CB125E	GN4	900 cc		
SCOOTER	NC750D (Integra)	GN4	3.4 litres		
	NC700D (Integra)	GN4	3.2 litres		
	NSS300A (Forza)	GN4	1.4 litres	AH SHAFT OIL	160 cc
	FJS600D*	GN4	2.0 litres	GN4	320 cc
	SH150	GN4	900 cc	GN4	100 cc
	SH300	GN4	1.2 litres	AH SHAFT OIL	300 cc
	PCX125 / 150 (VW150)	GN4	800 cc	GN4	120 cc
	SCV100F Lead	GN4	700 cc	AH SHAFT OIL	100 cc
	NSC110 (DIO)	GN4	700 cc	AH SHAFT OIL	140 cc
	NVS50 (TODAY)	GN4	700 cc	GN4	120 cc



CATEGORY	MODEL	ENGINE OIL	ENGINE OIL CAPACITY	TRANSMISSION OIL	TRANSMISSION OIL CAPACITY
ADVENTURE	CB500XA	GN4	2.5 litres		
TOURING	VFR800X	HP4	3.1 litres		
	NT700V (Deauville)*	GN4	2.1 litres		
	VFR1200X	HP4	3.1 litres		
TRAIL	CRF230F	GN4	1.0 litres		
	CRF250L*	GN4	1.4 litres		
ENDURO	XR650R	GN4	1.6 litres		
	CRF450X*	HP4	700 cc (with filter)	HP4 / GN4	650 cc
	CRF250X*	HP4	690 cc (with filter)	HP4 / GN4	680 cc
MX	CR85			HP4 / GN4	550 cc
	CR125			HP4 / GN4	570 cc
	CR250			HP4 / GN4	650-700 cc
	CRF450R*	HP4	620 cc	HP4 / GN4	640 cc
	CRF250R*	HP4	690 cc	HP4 / GN4	680 cc
	CRF150R*	HP4	590cc with filter	HP4 / GN4	570 cc
FUN	CRF150F	GN4	560 cc		
	CRF125F	GN4	900 cc		
	CRF110F	GN4	1.0 litres		
	CRF100F	GN4	1.0 litres		
	CRF80F	GN4	800 cc		
	CRF70	GN4	1.3 litres		
	Z50J	GN4	800 cc		
	CRF50F	GN4	600 cc		
AG	CTX200	GN4	1.0 litres		
	XR150L	GN4	1.0 litres		
	XR125L	GN4	1.0 litres		
A.T.V.	TRX680*	GN4	2.9 litres		
Automatic	TRX500*	GN4	4.4 litres		
	TRX420*	GN4	3.6 litres		
	TRX400	GN4	2.8 litres		
A.T.V.	TRX500*	GN4	3.0 litres		
Manual	TRX420*	GN4	2.7 litres		
	TRX250	GN4	1.5 litres		
ATV Sports	TRX700X	HP4	1.8 litres		
	TRX400EX	GN4	1.8 litres		
	TRX450ER	HP4	690 cc (with filter)	HP4 / GN4	640 cc
	TRX250X	GN4	1.6 litres		
	TRX90X	GN4	700 cc		
MUV	MUV700A (Big Red)	GN4	2.9 litres		
	SXS7002P	GN4	2.9 litres		
	SXS7004P	GN4	2.9 litres		
	SXS500	GN4	2.9 litres		

\*Oil Change Kit Available



[honda.com.au](http://honda.com.au)